



RHEUMATOLOGY

E-SCRIBE and FAX ENROLLMENT FORM

NOBLE NORTHEAST: E-Scribe: **NOBLE** | Fax: **888-842-3977** | Tel: 888-843-2040
 NOBLE SOUTHEAST: E-Scribe: **NOBLEMS/TRANSCRIPT** | Fax: **601-420-4040** | Tel: 866-420-4041

Delivery Needed By: _____ Deliver to: Patient's Home Physician's Office Other: _____

PATIENT INFORMATION	PROVIDER INFORMATION
Patient Name: _____ <input type="checkbox"/> Male	Prescriber's Name: _____
Street Address: _____ <input type="checkbox"/> Female	Office Contact Name: _____
City: _____ State: _____ Zip Code: _____	Address: _____
Phone Number: _____	City: _____ State: _____ Zip Code: _____
Email Address: _____	Phone Number: _____
Last Four of Social: _____ Date of Birth: _____	Fax Number: _____
Translator Needed: <input type="checkbox"/> Yes <input type="checkbox"/> No Language: _____	DEA/NPI #: _____

INSURANCE - PLEASE FAX A COPY OF PRESCRIPTION CARD FRONT & BACK

CLINICAL INFORMATION	
Diagnosis: _____	Has the patient been treated previously for this condition? <input type="checkbox"/> Yes <input type="checkbox"/> No
ICD-10 Code: _____	
Height: _____ ft _____ ins Weight: _____ lbs	Medications Failed: _____
Allergies: _____	Medications On: _____
Other Notes: _____	

PRESCRIPTION INFORMATION				
Medication:	Dosage/Strength:	Directions:	Quantity:	Refills:
Actemra®	<input type="checkbox"/> 162mg/0.9ml prefilled syringe <input type="checkbox"/> 162mg/0.9ml ACTPen autoinjector <input type="checkbox"/> 80mg/4ml vial <input type="checkbox"/> 200mg/10ml vial <input type="checkbox"/> 400mg/20ml vial	<input type="checkbox"/> Inject _____ SC every other week <input type="checkbox"/> Inject _____ SC every week <u>Loading Dose:</u> <input type="checkbox"/> 4mg/kg (____ mg dose) every 4 weeks <u>Maintenance Dose:</u> <input type="checkbox"/> 8mg/kg (____ mg dose) every 4 weeks	<input type="checkbox"/> 4-week supply	
Cimzia®	<input type="checkbox"/> 200mg/ml prefilled syringe <input type="checkbox"/> Starter Kit	<u>Loading Dose:</u> <input type="checkbox"/> Inject 400mg SC at weeks 0, 2, and 4 <u>Maintenance Dose:</u> <input type="checkbox"/> Inject 200mg SC every other week <input type="checkbox"/> Inject 400mg SC every 4 weeks <input type="checkbox"/> Other	<input type="checkbox"/> 4-week supply	
Cosentyx® *Enhanced Specialty Pharmacy Program Participant	<input type="checkbox"/> 150mg pen <input type="checkbox"/> 150mg syringe	<u>Loading Dose:</u> <input type="checkbox"/> Inject 150mg at weeks 0, 1, 2, 3, 4 <input type="checkbox"/> Inject 300mg at weeks 0, 1, 2, 3, 4 <u>Maintenance Dose:</u> <input type="checkbox"/> Inject 150mg every 4 weeks <input type="checkbox"/> Inject 300mg every 4 weeks	<input type="checkbox"/> 5-week supply (loading) <input type="checkbox"/> 4-week supply (maintenance)	
Cosentyx® *Enhanced Specialty Pharmacy Program Participant <i>Covered Until You're Covered</i>	<input type="checkbox"/> 150mg pen <input type="checkbox"/> 150mg syringe	<u>Loading Dose:</u> <input type="checkbox"/> Inject 150mg at weeks 0, 1, 2, 3, 4 <input type="checkbox"/> Inject 300mg at weeks 0, 1, 2, 3, 4 <u>Maintenance Dose:</u> <input type="checkbox"/> Inject 150mg every 4 weeks <input type="checkbox"/> Inject 300mg every 4 weeks	<input type="checkbox"/> 5-week supply (loading) <input type="checkbox"/> 4-week supply (maintenance)	

Patient is interested in patient support programs
 Ancillary supplies provided for administration

Physician Signature: _____ Date: _____



RHEUMATOLOGY

E-SCRIBE and FAX ENROLLMENT FORM

NOBLE NORTHEAST: E-Scribe: **NOBLE** | Fax: **888-842-3977** | Tel: 888-843-2040
 NOBLE SOUTHEAST: E-Scribe: **NOBLEMS/TRANSCRIPT** | Fax: **601-420-4040** | Tel: 866-420-4041

Delivery Needed By: _____ Deliver to: Patient's Home Physician's Office Other: _____

PATIENT INFORMATION	PROVIDER INFORMATION
Patient Name: _____ <input type="checkbox"/> Male	Prescriber's Name: _____
Street Address: _____ <input type="checkbox"/> Female	Office Contact Name: _____
City: _____ State: _____ Zip Code: _____	Address: _____
Phone Number: _____	City: _____ State: _____ Zip Code: _____
Email Address: _____	Phone Number: _____
Last Four of Social: _____ Date of Birth: _____	Fax Number: _____
Translator Needed: <input type="checkbox"/> Yes <input type="checkbox"/> No Language: _____	DEA/NPI #: _____

INSURANCE - PLEASE FAX A COPY OF PRESCRIPTION CARD FRONT & BACK

CLINICAL INFORMATION	
Diagnosis: _____	Has the patient been treated previously for this condition? <input type="checkbox"/> Yes <input type="checkbox"/> No
ICD-10 Code: _____	
Height: _____ ft _____ ins Weight: _____ lbs	Medications Failed: _____
Allergies: _____	Medications On: _____
Other Notes: _____	

PRESCRIPTION INFORMATION				
Medication:	Dosage/Strength:	Directions:	Quantity:	Refills:
Cuprimine® penicillamine	<input type="checkbox"/> 250mg capsules	<input type="checkbox"/> Take 250mg by mouth four times a day <input type="checkbox"/> Other	<input type="checkbox"/> 120 capsules	
Depen penicillamine	<input type="checkbox"/> 250mg titratable tablets	<input type="checkbox"/> Take 250mg by mouth four times a day <input type="checkbox"/> Other	<input type="checkbox"/> 120 capsules	
Enbrel® Enbrel® Mini Available	Standard: <input type="checkbox"/> 25mg/0.5ml prefilled syringe <input type="checkbox"/> 50mg/ml single-use prefilled syringe <input type="checkbox"/> 50mg/ml SureClick Autoinjector <input type="checkbox"/> 25mg vial Mini: <input type="checkbox"/> 50mg Enbrel® Mini single-dose prefilled cartridge	<input type="checkbox"/> Inject 50mg SC twice a week (72-96 hours apart) <input type="checkbox"/> Inject 50mg SC once a week <input type="checkbox"/> Inject 25mg SC twice a week (72-96 hours apart) <input type="checkbox"/> Other	<input type="checkbox"/> 4-week supply	
Humira® (Citrata-Free)	<input type="checkbox"/> 40mg/0.4ml pen <input type="checkbox"/> 40mg/0.4ml prefilled syringe	<input type="checkbox"/> Inject 40mg SC every other week <input type="checkbox"/> Inject 40mg SC once a week	<input type="checkbox"/> 4-week supply	
Inflectra®	<input type="checkbox"/> 100mg vial	<u>Loading Dose:</u> <input type="checkbox"/> 5mg/kg (Dose _____ mg) IV at 0, 2 and 6 weeks then every 8 weeks thereafter <u>Maintenance Dose:</u> <input type="checkbox"/> 5mg/kg (Dose _____ mg) IV every 8 weeks	<input type="checkbox"/> _____ vials	
Kevzara®	<u>Prefilled Syringe:</u> <input type="checkbox"/> 150mg/1.14ml <input type="checkbox"/> 200mg/1.14ml <u>Prefilled Pen:</u> <input type="checkbox"/> 150mg/1.14ml <input type="checkbox"/> 200mg/1.14ml	<input type="checkbox"/> Inject _____ mg once every two weeks	<input type="checkbox"/> 4-week supply	
<input type="checkbox"/> Patient is interested in patient support programs		<input type="checkbox"/> Ancillary supplies provided for administration		

Physician Signature: _____ Date: _____

NATIONALLY ACCREDITED. 100% EMPLOYEE OWNED.
www.noblehealthservices.com

Important Notice: This communication contains information that is confidential and protected from disclosure. If the reader of this message is not the intended recipient, employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please reply to the sender that you have received the message in error and destroy this copy. Q120221



RHEUMATOLOGY

E-SCRIBE and FAX ENROLLMENT FORM

NOBLE NORTHEAST: E-Scribe: NOBLE | Fax: 888-842-3977 | Tel: 888-843-2040

NOBLE SOUTHEAST: E-Scribe: NOBLEMS/TRANSCRIPT | Fax: 601-420-4040 | Tel: 866-420-4041

Delivery Needed By: _____ Deliver to: Patient's Home Physician's Office Other: _____

PATIENT INFORMATION	PROVIDER INFORMATION
Patient Name: _____ <input type="checkbox"/> Male	Prescriber's Name: _____
Street Address: _____ <input type="checkbox"/> Female	Office Contact Name: _____
City: _____ State: _____ Zip Code: _____	Address: _____
Phone Number: _____	City: _____ State: _____ Zip Code: _____
Email Address: _____	Phone Number: _____
Last Four of Social: _____ Date of Birth: _____	Fax Number: _____
Translator Needed: <input type="checkbox"/> Yes <input type="checkbox"/> No Language: _____	DEA/NPI #: _____

INSURANCE - PLEASE FAX A COPY OF PRESCRIPTION CARD FRONT & BACK

CLINICAL INFORMATION	
Diagnosis: _____	Has the patient been treated previously for this condition? <input type="checkbox"/> Yes <input type="checkbox"/> No
ICD-10 Code: _____	
Height: _____ ft _____ ins Weight: _____ lbs	Medications Failed: _____
Allergies: _____	Medications On: _____
Other Notes: _____	

PRESCRIPTION INFORMATION				
Medication:	Dosage/Strength:	Directions:	Quantity:	Refills:
Olumiant*	<input type="checkbox"/> 2mg tablet	<input type="checkbox"/> Take one tablet (2mg) by mouth once daily	<input type="checkbox"/> 4-week supply	
Orencia*	<input type="checkbox"/> 250mg vial <input type="checkbox"/> 125mg/ml syringe <input type="checkbox"/> 125mg/ml ClickJect™ <input type="checkbox"/> 50mg syringe (for children >2 years and weight 10kg to <25 kg)	<u>IV Dosing:</u> <input type="checkbox"/> Infuse _____ mg at weeks 0,2,4 and every 4 weeks thereafter <u>Subcutaneous Dosing:</u> <input type="checkbox"/> Inject 125mg SC once a week	<input type="checkbox"/> 4-week supply	
Otezla*	<input type="checkbox"/> Starter Kit <input type="checkbox"/> 30mg	<u>Starter Kit:</u> <input type="checkbox"/> Take as directed <u>Maintenance Dose:</u> <input type="checkbox"/> Take 30mg twice daily	<input type="checkbox"/> Starter Kit <input type="checkbox"/> 4-week supply	
Otrexup	<u>Autoinjector:</u> <input type="checkbox"/> 10mg/0.4ml <input type="checkbox"/> 12.5mg/0.4ml <input type="checkbox"/> 15mg/0.4ml <input type="checkbox"/> 17.5mg/0.4ml <input type="checkbox"/> 20mg/0.4ml <input type="checkbox"/> 22.5mg/0.4ml <input type="checkbox"/> 25mg/0.4ml	<input type="checkbox"/> Inject _____ mg SC once weekly <input type="checkbox"/> Other	<input type="checkbox"/> 4-week supply	
Rasuvo*	<u>Autoinjector:</u> <input type="checkbox"/> 7.5mg/0.15ml <input type="checkbox"/> 10mg/0.2ml <input type="checkbox"/> 12.5mg/0.25ml <input type="checkbox"/> 15mg/.3ml <input type="checkbox"/> 17.5mg/0.35ml <input type="checkbox"/> 20mg/0.4ml <input type="checkbox"/> 22.5mg/0.45ml <input type="checkbox"/> 25mg/0.5ml <input type="checkbox"/> 27.5mg/0.55ml <input type="checkbox"/> 30mg/0.6ml	<input type="checkbox"/> Inject _____ mg SC once weekly <input type="checkbox"/> Other	<input type="checkbox"/> 4-week supply	

Patient is interested in patient support programs

Ancillary supplies provided for administration

Physician Signature: _____

Date: _____

NATIONALLY ACCREDITED. 100% EMPLOYEE OWNED.

www.noblehealthservices.com

Important Notice: This communication contains information that is confidential and protected from disclosure. If the reader of this message is not the intended recipient, employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please reply to the sender that you have received the message in error and destroy this copy. Q120221



RHEUMATOLOGY

E-SCRIBE and FAX ENROLLMENT FORM

NOBLE NORTHEAST: E-Scribe: NOBLE | Fax: 888-842-3977 | Tel: 888-843-2040
 NOBLE SOUTHEAST: E-Scribe: NOBLEMS/TRANSCRIPT | Fax: 601-420-4040 | Tel: 866-420-4041

Delivery Needed By: _____ Deliver to: Patient's Home Physician's Office Other: _____

PATIENT INFORMATION	PROVIDER INFORMATION
Patient Name: _____ <input type="checkbox"/> Male	Prescriber's Name: _____
Street Address: _____ <input type="checkbox"/> Female	Office Contact Name: _____
City: _____ State: _____ Zip Code: _____	Address: _____
Phone Number: _____	City: _____ State: _____ Zip Code: _____
Email Address: _____	Phone Number: _____
Last Four of Social: _____ Date of Birth: _____	Fax Number: _____
Translator Needed: <input type="checkbox"/> Yes <input type="checkbox"/> No Language: _____	DEA/NPI #: _____

INSURANCE - PLEASE FAX A COPY OF PRESCRIPTION CARD FRONT & BACK

CLINICAL INFORMATION	
Diagnosis: _____	Has the patient been treated previously for this condition? <input type="checkbox"/> Yes <input type="checkbox"/> No
ICD-10 Code: _____	
Height: _____ ft _____ ins Weight: _____ lbs	Medications Failed: _____
Allergies: _____	Medications On: _____
Other Notes: _____	

PRESCRIPTION INFORMATION				
Medication:	Dosage/Strength:	Directions:	Quantity:	Refills:
Rayos*	<input type="checkbox"/> 1mg tablet <input type="checkbox"/> 2mg tablet <input type="checkbox"/> 5mg tablet	<input type="checkbox"/> Take _____mg by mouth once per day <input type="checkbox"/> Other	<input type="checkbox"/> 4-week supply	
Remicade*	<input type="checkbox"/> 100mg vial	<u>Loading Dose:</u> <input type="checkbox"/> IV _____ mg at 0, 2 and 6 weeks <u>Maintenance Dose:</u> <input type="checkbox"/> IV _____ every 8 weeks <input type="checkbox"/> IV _____ every _____ weeks <input type="checkbox"/> Other	<input type="checkbox"/> _____ vials	
Renflexis*	<input type="checkbox"/> 100mg vial	<u>Loading Dose:</u> <input type="checkbox"/> 5mg/kg (Dose _____mg) IV at 0, 2 and 6 weeks, then every 8 weeks thereafter <u>Maintenance Dose:</u> <input type="checkbox"/> 5mg/kg (Dose _____ mg) IV every 8 weeks <input type="checkbox"/> Other	<input type="checkbox"/> _____ vials	
Rinvoq™ <i>AbbVie has contracted with Noble Health Services to provide product specific support.</i>	<input type="checkbox"/> 15mg tablet	<input type="checkbox"/> Take one tablet by mouth once daily	<input type="checkbox"/> 30-day supply	
Rituxan*	<input type="checkbox"/> 100mg/10ml vial <input type="checkbox"/> 500mg/50ml vial	<input type="checkbox"/> Specified:	<input type="checkbox"/> _____ vials	
<input type="checkbox"/> Patient is interested in patient support programs		<input type="checkbox"/> Ancillary supplies provided for administration		

Physician Signature: _____ Date: _____

NATIONALLY ACCREDITED. 100% EMPLOYEE OWNED.
www.noblehealthservices.com

Important Notice: This communication contains information that is confidential and protected from disclosure. If the reader of this message is not the intended recipient, employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please reply to the sender that you have received the message in error and destroy this copy. Q120221



RHEUMATOLOGY

E-SCRIBE and FAX ENROLLMENT FORM

NOBLE NORTHEAST: E-Scribe: NOBLE | Fax: 888-842-3977 | Tel: 888-843-2040
 NOBLE SOUTHEAST: E-Scribe: NOBLEMS/TRANSCRIPT | Fax: 601-420-4040 | Tel: 866-420-4041

Delivery Needed By: _____ Deliver to: Patient's Home Physician's Office Other: _____

PATIENT INFORMATION	PROVIDER INFORMATION
Patient Name: _____ <input type="checkbox"/> Male	Prescriber's Name: _____
Street Address: _____ <input type="checkbox"/> Female	Office Contact Name: _____
City: _____ State: _____ Zip Code: _____	Address: _____
Phone Number: _____	City: _____ State: _____ Zip Code: _____
Email Address: _____	Phone Number: _____
Last Four of Social: _____ Date of Birth: _____	Fax Number: _____
Translator Needed: <input type="checkbox"/> Yes <input type="checkbox"/> No Language: _____	DEA/NPI #: _____

INSURANCE - PLEASE FAX A COPY OF PRESCRIPTION CARD FRONT & BACK

CLINICAL INFORMATION	
Diagnosis: _____	Has the patient been treated previously for this condition? <input type="checkbox"/> Yes <input type="checkbox"/> No
ICD-10 Code: _____	
Height: _____ ft _____ ins Weight: _____ lbs	Medications Failed: _____
Allergies: _____	Medications On: _____
Other Notes: _____	

PRESCRIPTION INFORMATION				
Medication:	Dosage/Strength:	Directions:	Quantity:	Refills:
Simponi*	<u>Prefilled Syringe:</u> <input type="checkbox"/> 50mg/0.5ml <input type="checkbox"/> 100mg/1ml <u>SmartJect Autoinjector:</u> <input type="checkbox"/> 50mg/0.5ml <input type="checkbox"/> 100mg/1ml	<input type="checkbox"/> Inject 100 mg SC once a month <input type="checkbox"/> Inject 50 mg SC once a month	<input type="checkbox"/> 4-week supply	
Simponi Aria*	<input type="checkbox"/> 50mg/4ml single-dose vial	<u>Loading Dose:</u> <input type="checkbox"/> _____ mg (2mg/kg) IV infusion over 30 min at weeks 0 and 4 <u>Maintenance Dose:</u> <input type="checkbox"/> _____ mg (2mg/kg) IV infusion over 30 min every 8 weeks	<input type="checkbox"/> _____ vials	
Skyrizi™	<input type="checkbox"/> 150mg/mL prefilled syringe <input type="checkbox"/> 150mg/mL pen	<u>Loading Dose:</u> <input type="checkbox"/> Inject 150mg SC at weeks 0, 4, and every 12 weeks thereafter <u>Maintenance Dose:</u> <input type="checkbox"/> Inject 150mg SC every 12 weeks	<input type="checkbox"/> 1 prefilled syringe/pen	
Taltz*	<input type="checkbox"/> 80mg/ml single-dose prefilled autoinjector <input type="checkbox"/> 80mg/ml single-dose prefilled syringe	Psoriatic Arthritis & Ankylosing Spondylitis <u>Loading Dose:</u> <input type="checkbox"/> Inject 160mg subcutaneously at week zero <u>Maintenance Dose:</u> <input type="checkbox"/> Inject 80 mg subcutaneously every 4 weeks Non-radiographic Axial Spondyloarthritis <input type="checkbox"/> Inject 80mg subcutaneously every 4 weeks	<input type="checkbox"/> _____ pens <input type="checkbox"/> _____ syringes	
<input type="checkbox"/> Patient is interested in patient support programs		<input type="checkbox"/> Ancillary supplies provided for administration		

Physician Signature: _____

Date: _____

NATIONALLY ACCREDITED. 100% EMPLOYEE OWNED.
www.noblehealthservices.com

Important Notice: This communication contains information that is confidential and protected from disclosure. If the reader of this message is not the intended recipient, employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please reply to the sender that you have received the message in error and destroy this copy. Q120221



RHEUMATOLOGY

E-SCRIBE and FAX ENROLLMENT FORM

NOBLE NORTHEAST: E-Scribe: NOBLE | Fax: 888-842-3977 | Tel: 888-843-2040
 NOBLE SOUTHEAST: E-Scribe: NOBLEMS/TRANSCRIPT | Fax: 601-420-4040 | Tel: 866-420-4041

Delivery Needed By: _____ Deliver to: Patient's Home Physician's Office Other: _____

PATIENT INFORMATION	PROVIDER INFORMATION
Patient Name: _____ <input type="checkbox"/> Male	Prescriber's Name: _____
Street Address: _____ <input type="checkbox"/> Female	Office Contact Name: _____
City: _____ State: _____ Zip Code: _____	Address: _____
Phone Number: _____	City: _____ State: _____ Zip Code: _____
Email Address: _____	Phone Number: _____
Last Four of Social: _____ Date of Birth: _____	Fax Number: _____
Translator Needed: <input type="checkbox"/> Yes <input type="checkbox"/> No Language: _____	DEA/NPI #: _____

INSURANCE - PLEASE FAX A COPY OF PRESCRIPTION CARD FRONT & BACK

CLINICAL INFORMATION	
Diagnosis: _____	Has the patient been treated previously for this condition? <input type="checkbox"/> Yes <input type="checkbox"/> No
ICD-10 Code: _____	
Height: _____ ft _____ ins Weight: _____ lbs	Medications Failed: _____
Allergies: _____	Medications On: _____
Other Notes: _____	

PRESCRIPTION INFORMATION				
Medication:	Dosage/Strength:	Directions:	Quantity:	Refills:
Tymlos®	<input type="checkbox"/> 2000mcg/ml; 1.56mL prefilled pen	<input type="checkbox"/> Inject 80 mcg SC once daily	<input type="checkbox"/> 1 device (30-day supply) <input type="checkbox"/> 3 devices (90-day supply)	
Xeljanz®	<input type="checkbox"/> 5mg tablet	<input type="checkbox"/> Take one tablet twice a day	<input type="checkbox"/> 4-week supply	
Xeljanz XR®	<input type="checkbox"/> 11 mg tablet	<input type="checkbox"/> Take one tablet once a day	<input type="checkbox"/> 4-week supply	
Other				

Patient is interested in patient support programs Ancillary supplies provided for administration

Physician Signature: _____

Date: _____